



注册号: CEPREI2020001008000008
颁证日期: 2021.08.06
有效期至: 长期

本证书的有效性根据发证机构的定期监督获得保持。

本证书为变更证书, 证书首次颁发日期: 2020年06月01日。

注: 本证书信息可在国家认证认可监督管理委员会
官方网站 (www.cnca.gov.cn) 上查询。

总经理:



自愿性产品认证证书

委托人名称和地址

米博(厦门)自动化科技有限公司

厦门火炬高新区(翔安)产业区台湾科技企业育成中心 E802A 室

生产者(制造商)名称和地址

米博(厦门)自动化科技有限公司

厦门火炬高新区(翔安)产业区台湾科技企业育成中心 E802A 室

生产企业名称和地址

米博(厦门)自动化科技有限公司

福建省厦门市翔安区翔天路 313-315 号第六层

产品名称/系列/规格/型号

产品名称: 开关电源

型号: 见附件

产品标准和技术要求

GB4943.1-2011

认证模式

型式试验+获证后监督

上述产品符合 CEPREI-PVL-010-2018 《信息技术设备及其附件
安全与电磁兼容认证规则》的要求, 特发此证。

广州赛宝认证中心服务有限公司

中国·广州·广州市增城区朱村街朱村大道西 76 号 511370

<http://www.ceppei.org/>



No: CEPREI2020001008000008

Date of issue: 2021.08.06

Date of expiry: Long time

Validity of this certificate is subject to positive result of the regular follow up inspection by issuing certification body.

This certificate is a modification certificate. The first issue date of the certificate is June 01, 2020

Note: The certificate can be verified through CNCA's website:

www.cnca.gov.cn

Zhao Guoxiang
General Manager

CEPREI CERTIFICATION BODY

VOLUNTARY PRODUCT CERTIFICATE

NAME AND ADDRESS OF THE APPLICANT

Mibbo (Xia men) Automation Technology Co., Ltd

E802A, Taiwan Technology Business Incubator, Torch (Xiang' an)

Industrial Park, Xiamen, Fujian

NAME AND ADDRESS OF THE MANUFACTURER

Mibbo (Xia men) Automation Technology Co., Ltd

E802A, Taiwan Technology Business Incubator, Torch (Xiang' an)

Industrial Park, Xiamen, Fujian

NAME AND ADDRESS OF THE FACTORY

Mibbo (Xia men) Automation Technology Co., Ltd

6th Floor, 313-315 Xiangtian Road, Xiang' an District, Xiamen City,

Fujian Province, China

NAME, MODULE AND SPECIFICATION

Switching Power Supply

MODEL: See Appendix

THE STANDARDS AND TECHNICAL REQUIREMENTS FOR THE PRODUCTS

GB4943.1-2011

Certification mode

Type testing +post certification supervision

This is to certify that the above mentioned products have met the requirements of CEPREI-PVL-010-2018.

CEPREI CERTIFICATION BODY

No. 76 West of Zhucun Avenue, Zhucun, Zengcheng District, Guangzhou, 511370 P.R.C

<http://www.ceprei.org/>



注册号: CEPREI2020001008000008

颁证日期: 2021.08.06

有效期至: 长期

本证书的有效性根据发证机构的定期监督获得保持

本证书为变更证书, 证书首次颁发日期: 2020年06月01日。

注: 本证书信息可在国家认证认可监督管理委员会
官方网站 (www.cnca.gov.cn) 上查询。

总经理:



自愿性产品认证证书

附件:

第1页, 共3页。

型号: MTS200-X/XL/XP/PL,

X=03, 04, 05, 07, 09, 12, 13, 15, 19, 24, 27, 29, 36, 42, 48 代表输出电压,
L 代表开关电源电解电容能在-40度低温工作, P 代表开关电源针插端子
座, PL 代表开关电源低温针插端子座。

型号: MTS350-X/XL/XP/PL,

X=03, 04, 05, 07, 09, 12, 13, 15, 19, 24, 27, 29, 36, 42, 48 代表输出电压,
L 代表开关电源电解电容能在-40度低温工作, P 代表开关电源针插端子
座, PL 代表开关电源低温针插端子座。

(仅适用于海拔 2000 米以下安全使用)

输入输出规格如下:

序号	型号	输入电压	输入 电流	输入电压 频率	输出电压	输出电流	输出功率
1	MTS200-3.3 MTS200-3.3L MTS200-3.3P MTS200-3.3PL	200-240VAC	2.2A	50/60Hz	3.3VDC	40A	132W
2	MTS200-4.2 MTS200-4.2L MTS200-4.2P MTS200-4.2PL	200-240VAC	2.2A	50/60Hz	4.2VDC	40A	168W
3	MTS200-05 MTS200-05L MTS200-05P MTS200-05PL	200-240VAC	2.2A	50/60Hz	5VDC	40A	200W
4	MTS200-7.5 MTS200-7.5L MTS200-7.5P MTS200-7.5PL	200-240VAC	2.2A	50/60Hz	7.5VDC	26.5A	198.75W
5	MTS200-09 MTS200-09L MTS200-09P MTS200-09PL	200-240VAC	2.2A	50/60Hz	9VDC	22A	198W
6	MTS200-12 MTS200-12L MTS200-12P MTS200-12PL	200-240VAC	2.2A	50/60Hz	12VDC	17A	204W
7	MTS200-13.8 MTS200-13.8L MTS200-13.8P MTS200-13.8PL	200-240VAC	2.2A	50/60Hz	13.8VDC	14.5A	200.1W
8	MTS200-15 MTS200-15L MTS200-15P MTS200-15PL	200-240VAC	2.2A	50/60Hz	15VDC	14A	210W

广州赛宝认证中心服务有限公司

中国·广州·广州市增城区朱村街朱村大道西 76 号 511370

<http://www.ceprei.org/>



注册号: CEPREI2020001008000008

颁证日期: 2021.08.06

有效期至: 长期

本证书的有效性根据发证机构的定期监督获得保持。

本证书为变更证书, 证书首次颁发日期: 2020年06月01日。

注: 本证书信息可在国家认证认可监督管理委员会
官方网站 (www.cnca.gov.cn) 上查询。

总经理:



自愿性产品认证证书

附件:

第2页, 共3页。

9	MTS200-19 MTS200-19L MTS200-19P MTS200-19PL	200-240VAC	2.2A	50/60Hz	19VDC	10.5A	199.5W
10	MTS200-24 MTS200-24L MTS200-24P MTS200-24PL	200-240VAC	2.2A	50/60Hz	24VDC	8.8A	211.2W
11	MTS200-27 MTS200-27L MTS200-27P MTS200-27PL	200-240VAC	2.2A	50/60Hz	27VDC	7.4A	199.8W
12	MTS200-29 MTS200-29L MTS200-29P MTS200-29PL	200-240VAC	2.2A	50/60Hz	29VDC	6.8A	197.2W
13	MTS200-36 MTS200-36L MTS200-36P MTS200-36PL	200-240VAC	2.2A	50/60Hz	36VDC	5.9A	212.4W
14	MTS200-42 MTS200-42L MTS200-42P MTS200-42PL	200-240VAC	2.2A	50/60Hz	42VDC	4.7A	197.4W
15	MTS200-48 MTS200-48L MTS200-48P MTS200-48PL	200-240VAC	2.2A	50/60Hz	48VDC	4.4A	211.2W
16	MTS350-3.3 MTS350-3.3L MTS350-3.3P MTS350-3.3PL	200-240VAC	3.4A	50/60Hz	3.3VDC	60A	198W
17	MTS350-4.2 MTS350-4.2L MTS350-4.2P MTS350-4.2PL	200-240VAC	3.4A	50/60Hz	4.2VDC	60A	252W
18	MTS350-05 MTS350-05L MTS350-05P MTS350-05PL	200-240VAC	3.4A	50/60Hz	5VDC	60A	300W
19	MTS350-7.5 MTS350-7.5L MTS350-7.5P MTS350-7.5PL	200-240VAC	3.4A	50/60Hz	7.5VDC	45A	345W

广州赛宝认证中心服务有限公司

中国·广州·广州市增城区朱村街朱村大道西 76 号 511370

<http://www.ceppei.org/>



注册号: CEPREI2020001008000008
 颁证日期: 2021.08.06
 有效期至: 长期

本证书的有效性根据发证机构的定期监督获得保持。

本证书为变更证书, 证书首次颁发日期: 2020年06月01日。

注: 本证书信息可在国家认证认可监督管理委员会
 官方网站 (www.cnca.gov.cn) 上查询。

总经理:



自愿性产品认证证书

附件:

第3页, 共3页。

20	MTS350-09 MTS350-09L MTS350-09P MTS350-09PL	200-240VAC	3.4A	50/60Hz	9VDC	38A	342W
21	MTS350-12 MTS350-12L MTS350-12P MTS350-12PL	200-240VAC	3.4A	50/60Hz	12VDC	29A	348W
22	MTS350-13.8 MTS350-13.8L MTS350-13.8P MTS350-13.8PL	200-240VAC	3.4A	50/60Hz	13.8VDC	25A	345W
23	MTS350-15 MTS350-15L MTS350-15P MTS350-15PL	200-240VAC	3.4A	50/60Hz	15VDC	23.2A	348W
24	MTS350-19 MTS350-19L MTS350-19P MTS350-19PL	200-240VAC	3.4A	50/60Hz	19VDC	18A	342W
25	MTS350-24 MTS350-24L MTS350-24P MTS350-24PL	200-240VAC	3.4A	50/60Hz	24VDC	14.6A	350.4W
26	MTS350-27 MTS350-27L MTS350-27P MTS350-27PL	200-240VAC	3.4A	50/60Hz	27VDC	12.9A	348.3W
27	MTS350-29 MTS350-29L MTS350-29P MTS350-29PL	200-240VAC	3.4A	50/60Hz	29VDC	12A	348W
28	MTS350-36 MTS350-36L MTS350-36P MTS350-36PL	200-240VAC	3.4A	50/60Hz	36VDC	9.7A	349.2W
29	MTS350-42 MTS350-42L MTS350-42P MTS350-42PL	200-240VAC	3.4A	50/60Hz	42VDC	8.3A	348.6W
30	MTS350-48 MTS350-48L MTS350-48P MTS350-48PL	200-240VAC	3.4A	50/60Hz	48VDC	7.3A	350.4W

注: 此附件与证书同时使用时有效

广州赛宝认证中心服务有限公司

中国·广州·广州市增城区朱村街朱村大道西 76 号 511370

<http://www.ceppei.org/>



VOLUNTARY PRODUCT CERTIFICATE

Appendix:

Page 1 of 3

Attachment:

Models: MTS200-X/XL/XP/PL, x 03,04,05,07,09,12,13,15,19,24,27,29,36,42,48 represents the output voltage, "L" represents the switching power supply electrolytic capacitor can work at -40°C low temperature, "P" represents the switching power supply pin terminal block, "PL" represents the low temperature pin socket of switching power supply.

Models: MTS200-X/XL/XP/PL, x 03,04,05,07,09,12,13,15,19,24,27,29,36,42,48 represents the output voltage, "L" represents the switching power supply electrolytic capacitor can work at -40°C low temperature, "P" represents the switching power supply pin terminal block, "PL" represents the low temperature pin socket of switching power supply.

(Applies only to the altitude of 2000 meters and below)

The input and output specifications are as follows:

SN	MODEL	INPUT VOLTAGE	INPUT CURRENT	INPUT FREQUENCY	OUTPUT VOLTAGE	OUTPUT CURRENT	OUTPUT POWER
1	MTS200-3. 3 MTS200-3. 3L MTS200-3. 3P MTS200-3. 3PL	200-240VAC	2. 2A	50/60Hz	3. 3VDC	40A	132W
2	MTS200-4. 2 MTS200-4. 2L MTS200-4. 2P MTS200-4. 2PL	200-240VAC	2. 2A	50/60Hz	4. 2VDC	40A	168W
3	MTS200-05 MTS200-05L MTS200-05P MTS200-05PL	200-240VAC	2. 2A	50/60Hz	5VDC	40A	200W
4	MTS200-7. 5 MTS200-7. 5L MTS200-7. 5P MTS200-7. 5PL	200-240VAC	2. 2A	50/60Hz	7. 5VDC	26. 5A	198. 75W
5	MTS200-09 MTS200-09L MTS200-09P MTS200-09PL	200-240VAC	2. 2A	50/60Hz	9VDC	22A	198W
6	MTS200-12 MTS200-12L MTS200-12P MTS200-12PL	200-240VAC	2. 2A	50/60Hz	12VDC	17A	204W
7	MTS200-13. 8 MTS200-13. 8L MTS200-13. 8P MTS200-13. 8PL	200-240VAC	2. 2A	50/60Hz	13. 8VDC C	14. 5A	200. 1W
8	MTS200-15 MTS200-15L MTS200-15P MTS200-15PL	200-240VAC	2. 2A	50/60Hz	15VDC	14A	210W



No: CEPREI2020001008000008

Date of issue: 2021.08.06

Date of expiry: Long time

Validity of this certificate is subject to positive result of the regular follow up inspection by issuing certification body.

This certificate is a modification certificate. The first issue date of the certificate is June 01, 2020

Zhao Guoxiang
General Manager

CEPREI CERTIFICATION BODY

CEPREI CERTIFICATION BODY

No. 76 West of Zhucun Avenue, Zhucun, Zengcheng District, Guangzhou, 511370 P. R. C

<http://www.ceprei.org/>



No: CEPREI2020001008000008

Date of issue: 2021.08.06

Date of expiry: Long time

Validity of this certificate is subject to positive result of the regular follow up inspection by issuing certification body.

This certificate is a modification certificate. The first issue date of the certificate is June 01, 2020

Zhao Guoxiang
General Manager

CEPREI CERTIFICATION BODY

VOLUNTARY PRODUCT CERTIFICATE

Appendix:

Page 2 of 3

9	MTS200-19 MTS200-19L MTS200-19P MTS200-19PL	200-240VAC	2.2A	50/60Hz	19VDC	10.5A	199.5W
10	MTS200-24 MTS200-24L MTS200-24P MTS200-24PL	200-240VAC	2.2A	50/60Hz	24VDC	8.8A	211.2W
11	MTS200-27 MTS200-27L MTS200-27P MTS200-27PL	200-240VAC	2.2A	50/60Hz	27VDC	7.4A	199.8W
12	MTS200-29 MTS200-29L MTS200-29P MTS200-29PL	200-240VAC	2.2A	50/60Hz	29VDC	6.8A	197.2W
13	MTS200-36 MTS200-36L MTS200-36P MTS200-36PL	200-240VAC	2.2A	50/60Hz	36VDC	5.9A	212.4W
14	MTS200-42 MTS200-42L MTS200-42P MTS200-42PL	200-240VAC	2.2A	50/60Hz	42VDC	4.7A	197.4W
15	MTS200-48 MTS200-48L MTS200-48P MTS200-48PL	200-240VAC	2.2A	50/60Hz	48VDC	4.4A	211.2W
16	MTS350-3.3 MTS350-3.3L MTS350-3.3P MTS350-3.3PL	200-240VAC	3.4A	50/60Hz	3.3VDC	60A	198W
17	MTS350-4.2 MTS350-4.2L MTS350-4.2P MTS350-4.2PL	200-240VAC	3.4A	50/60Hz	4.2VDC	60A	252W
18	MTS350-05 MTS350-05L MTS350-05P MTS350-05PL	200-240VAC	3.4A	50/60Hz	5VDC	60A	300W
19	MTS350-7.5 MTS350-7.5L MTS350-7.5P MTS350-7.5PL	200-240VAC	3.4A	50/60Hz	7.5VDC	45A	345W

CEPREI CERTIFICATION BODY

No. 76 West of Zhucun Avenue, Zhucun, Zengcheng District, Guangzhou, 511370 P. R. C

<http://www.ceprei.org/>



No: CEPREI2020001008000008

Date of issue: 2021.08.06

Date of expiry: Long time

Validity of this certificate is subject to positive result of the regular follow up inspection by issuing certification body.

This certificate is a modification certificate. The first issue date of the certificate is June 01, 2020

Zhao Guoxiang
General Manager

CEPREI CERTIFICATION BODY

VOLUNTARY PRODUCT CERTIFICATE

Appendix:

Page 3 of 3

20	MTS350-09 MTS350-09L MTS350-09P MTS350-09PL	200-240VAC	3.4A	50/60Hz	9VDC	38A	342W
21	MTS350-12 MTS350-12L MTS350-12P MTS350-12PL	200-240VAC	3.4A	50/60Hz	12VDC	29A	348W
22	MTS350-13.8 MTS350-13.8L MTS350-13.8P MTS350-13.8PL	200-240VAC	3.4A	50/60Hz	13.8VDC	25A	345W
23	MTS350-15 MTS350-15L MTS350-15P MTS350-15PL	200-240VAC	3.4A	50/60Hz	15VDC	23.2A	348W
24	MTS350-19 MTS350-19L MTS350-19P MTS350-19PL	200-240VAC	3.4A	50/60Hz	19VDC	18A	342W
25	MTS350-24 MTS350-24L MTS350-24P MTS350-24PL	200-240VAC	3.4A	50/60Hz	24VDC	14.6A	350.4W
26	MTS350-27 MTS350-27L MTS350-27P MTS350-27PL	200-240VAC	3.4A	50/60Hz	27VDC	12.9A	348.3W
27	MTS350-29 MTS350-29L MTS350-29P MTS350-29PL	200-240VAC	3.4A	50/60Hz	29VDC	12A	348W
28	MTS350-36 MTS350-36L MTS350-36P MTS350-36PL	200-240VAC	3.4A	50/60Hz	36VDC	9.7A	349.2W
29	MTS350-42 MTS350-42L MTS350-42P MTS350-42PL	200-240VAC	3.4A	50/60Hz	42VDC	8.3A	348.6W
30	MTS350-48 MTS350-48L MTS350-48P MTS350-48PL	200-240VAC	3.4A	50/60Hz	48VDC	7.3A	350.4W

Note: This appendix is effective when used in conjunction with the certificate.

CEPREI CERTIFICATION BODY

No. 76 West of Zhucun Avenue, Zhucun, Zengcheng District, Guangzhou, 511370 P. R. C

<http://www.ceprei.org/>



变更结论

认证委托人/Applicant:

米博（厦门）自动化科技有限公司 / Mibbo (Xia men)
Automation Technology Co., Ltd

产品名称/ Name of product:

开关电源 / Switching Power Supply

产品型号/Model/Type:

见附件

变更情况/Situation of Modification:

序号 No	项目 item	变更前 Original	变更后 Present
1	更新证书号/删除已注销证书的供应商	PV-00401-Z2003PVQ-00002	PV-00401-Z2106PVM-00013

申请编号/Application No:

T2021PV001018-000016

注册号/Certificate No.(变更后 Original)

CEPREI2020001008000008

注册号/Certificate No.(变更前 Present)

CEPREI2020001008000008

现批准以上变更。

Above Modification is approved. The present will replace the original.

批准日期 (Date): 2021.07.23

总经理



广州赛宝认证中心服务有限公司

中国·广州·增城区朱村街朱村大道西 76 号 511370

<http://www.ceprei.org/>



变更结论

认证委托人/Applicant:

米博(厦门)自动化科技有限公司/Mibbo (Xia men)
Automation Technology Co., Ltd

产品名称/ Name of product:

开关电源/ Switching Power Supply

产品型号/Model/Type:

见附件/ See Appendix

变更情况/Situation of Modification:

序号 No	项目 item	变更前 Original	变更后 Present
1	生产企业 地址变更	厦门火炬高新区(翔安) 产业区台湾科技企业育 成中心 E802A 室	福建省厦门市翔安区翔天路 313-315 号第六层

申请编号/Application No:

T2021PV001018-000015

注册号/Certificate No.(变更后 Original)

CEPREI2020001008000008

注册号/Certificate No. (变更前 Present)

CEPREI2020001008000008

现批准以上变更。

Above Modification is approved. The present will replace the original.

批准日期 (Date): 2021.08.06

广州赛宝认证中心服务有限公司

中国·广州·广州市增城区朱村街朱村大道西 76 号 511370

<http://www.ceprei.org/>

总经理:

